



---

## Magnet fastener with wire rope


### Short Description

---

- Magnetic fastener for use on ceilings, purlins, warehouse racking etc.
- Supplied with 1m or 2m long wire rope, with captive top end and plain bottom end
- Magnet and wire support 3kg load with a 2:1 safety margin
- Use bottom end fittings of your choice, depend on what you want to hang

## Product Images

---



## Description

---

### Magnet attachment with wire rope for suspending from ceilings and racking

Magnetic fastener is supplied with wire rope for suspending items from magnetically receptive surfaces.

- Useful magnet fixing component for users who do not require one of our magnetic suspension kits which include hooks and clamps. (If you want the full kit please select one of the links below).
- Magnet is super strong neodymium, capable of carrying a 3kg load.
- A coupler is supplied with the magnetic component to secure a wire rope supplied with a pre-formed captive end.
- The wires are either 1m or 2m long, depending on the item ordered. The bottom end of the wire is supplied plain, but fused to prevent fraying.
- Wires are 1.5mm diameter and can be cut to length on site using sharp wire cutters.
- We supply various gripper fittings which could be used with these kits.

# Additional Information

Delivery and Returns	<ul style="list-style-type: none"><li>• We offer a choice of delivery options tailored to the goods selected and your location, calculated for you automatically in the Checkout. When feasible, you will be offered options for Free, Economy or Next Day delivery.</li><li>• Any product returned by the purchaser must be unused and in its original packaging, which should be unmarked. If goods are received damaged or faulty we will take care of the problem.</li><li>• For detailed information about Delivery charges or Returns and refund policies, please click on the links below.</li></ul>
Include in Google Feed	No
Postable	No
Small parcel	No
Oversize	No

